Dhaka, Bangladesh

August 21, 2014

Dear Prospective Offeror/Quoter:

The American Embassy, Dhaka, requests your price quote for the brand new vehicles (5 each, please see the attached specification). You are invited to submit quotes. The Request for Quotations (RFQ) consists of the following sections:

- 1. Standard Form SF-18
- 2. Specification of vehicle

The Embassy plans to award a purchase order. You are encouraged to make your quote competitive. You are also cautioned against any collusion with other potential offerors in regard to price quotations to be submitted. The RFQ does not commit American Embassy, Dhaka, Bangladesh to make any award. The Embassy may cancel this RFQ or any part of it.

If you are interested, please submit your quotation to the address shown in Block 5a of the SF-18 by 1600 hours on **September 01, 2014** or you can send your offer to the following email address: **DhakaProc@State.gov** Oral quotations will not be accepted.

Sincerely,

Oscar E. Rivera Contracting Officer

Enclosure: as stated

Request for Quotations (RFQ) REQUEST FOR QUOTATIONS THIS REO [] IS [x] IS NOT A SMALL BUSINESS-

REQUEST FOR QUOTATIONS (THIS IS NOT AN ORDER)				THIS RFQ [] IS SMALL PUR				IS NOT A SMA ASE SET-ASII					OF 	PAGES 4	
1. REQUEST NO. 2. DATE ISSUED SBG30014Q1214 08/21/2014							N/PURCH	HASE REQUEST NO.	UNDER I	4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1			RATING		
5A. ISSUED BY Procurement & Contracting Section, US Embassy Dh							6. DELIVER BY (Date)				-				
Annex Building, Madani Avenue, Baridhara, Dhaka-1212.															
5B. FOR INFORMATION CALL: (Name and telephone no.) (No collect calls															
NAME							ГЕLЕРНО	ONE NUMBER	1_						
Shamim Choudhury – Procurement Specialist AREA							CODE	NUMBER	FOB DESTINATION U OTHER (See Schedule)					ee Schedule)	
Maruful Islam – Procurement Manager								8855500							
8. TO:							· ·		9. DESTINATION						
a. NAME b. COMPANY							a. NAME OF CONSIGNEE								
c. STREET ADDRESS									b. STREET ADDRESS						
d. CITY e. STATE							f. ZIP CODE		c. CITY						
								d. STATE	e. ZIP CODE						
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5A ON OR BEFORE CLOSE OF BUSINESS (Date:M-D-Y) 09/01/2014 IMPORTANT: This is a request indicate on this form and return it t incurred in the preparation of the su unless otherwise indicated by quote completed by the quoter							the add bmission	ress in Block 5A. To n of this quotation o	This request do r to contract fo	es not com or supplies of	mit the Go or service	overnment to pa s. Supplies are	y any c of dom	osts estic origin	
11. SCHEDULE (Include applicable Federal, State and									d local taxes,)					
ITEM NO.	A NO. SUPPLIES/SERVICES						QU	JANTITY	UNIT	UNIT PRICE			AMOUNT		
(a)	(b)							(c)	(d)	((e) (f)				
Vehicle (Brand New) Please see attached vehicle specification.							5		each						
12 DISCOUNT FOR PROMPT PAYMENT a. 10 CALENDAR DAYS b.						b. 2	0 CALE	NDAR DAYS	c. 30 CALENI	c. 30 CALENDAR DAYS			d. CALENDAR DAYS		
%						%			%			NUMBER	NUMBER %		
NOTE: Additional provisions and representations [] are								ot attached.							
13 NAME AND ADDRESS OF QUOTER								GNATURE OF PERSO IGN QUOTATION	NAUTHORIZED TO 15 DATE			E OF QUOTATION			
a. NAME OF QUOTER															
b. STREET ADDRESS								16. SIGNER							
c. COUNTY							a. NAM	ME (Type or print)					b. TELEPHONE		
d. CITY e. STATE				f. ZIP CODE			c. TITI	LE (Type or print)				AREA CODE	AREA CODE		
												NUMBER			

Solicitation No. SBG30014Q1214

SPECIFICATION OF VEHICLE:

TOYOTA HILUX Pick-up 4WD D/C (Right Hand- Brand New Vehicle), MODEL CODE: KUN25R-PRPDH

Technical Specifications:

ENGINE: TURBO DIESEL

Model 2.5 L Diesel (2KD-FTV)

Type 4-cyl. 16-Valve, DOHC, Turbo

Piston Displacement 2494 cc.

Max. Output (kw / rpm) 75 / 3600

Max. Torque (Nm / rpm) 260 / 1600 - 2400

Fuel system Direct Injection Common-rail

CHASSIS

Transmission 4 A/T

Suspension Front Coil spring, Independent Double wishbone with

stabilizer.

Rear Leaf Spring Rigid

Brakes Front/Rear 15 Inch Discs / Trailing Drum

Steering Power
Min. turning radius (tyres) m. 6.4
Fuel Tank capacity (litres) 76

DIMENSIONS & WEIGHT

Overall length (mm.) 5260
Overall width (mm.) 1760
Overall height (mm.) 1860
Wheelbase (mm.) 3085
Ground clearance (mm.) 212

Kerb weight (kg.) 1800 - 1900

Gross vehicle weight (kg.) 2705

Deck space

Deck Height (mm) 450
Deck Length (mm) 1520
Deck Width (mm) 1515

Exterior Color Line Up:

Super White II (040), Silver Metallic (1D6), Gray Metallic (1G3), Dk. Steel Mica (1H2), Black Attitude (218), Super Red II (3E5), Silky Gold Mica Metallic (5A7), Blue Metallic (8T7)

Standard Features:

Spec: Pkg: Fabric (Suffix:R0)

- Windshield Glass Green laminated
- Rear bumper Steel flat plating

- Front bumper Polypropylene paint color
- Door outside handle Chrome
- Towing Hook Front
- Spare wheel Anti-Theft Lock
- Side step
- Deck Guard Frame
- Rear window defogger
- Mud Guard Front & Rear
- Head Lamp 2 Bulb Halogen Multi
- Front Fog lamp
- Child protector
- Room Lamp, Front personal lamp
- Power Door Lock
- Power window
- Intermittent wiper Intermittent + Mist
- Outside rear view mirror Power, Chrome, Side turn lamp
- Fuel lead opener
- Inside rear view mirror ECE Type Non Glare
- Assist grip
- Sun visor Driver & Passenger
- Door Arm rest Front & Rear
- Door pocket
- Glove Box
- Cigarette Lighter
- Ash tray
- Front seat Separate
- Console box with rear cup holder
- Seat Material Fabric
- Shift Lever and knob Urethane
- Steering wheel 4 spoke Urethane
- Door trim Moulding, full trim Fabric
- Front seat slide D+P
- Front seat reclining D+P
- Front seat vertical adjuster Driver's seat
- Front seat belt 3P ELRX2
- Air bag (D+P)
- ABS
- Clock
- Seat belt warning with driver and passenger seat
- LSD
- Head Rest Front 2 + Rear 2
- Rear seat belt 3P ELR X 2 + 2P NR X 1
- Tilt Steering
- Power Steering
- Over run and speed limiter 180 km/h
- Tachometer
- Fuel level warning
- Door ajar warning
- Air Conditioner
- Front Heater with Evaporator
- Wireless door lock
- Anti-theft system security

- Illuminated entry system
- Audio 4spk Only.
- Instrument Panel Center Cluster Material
- Tire: 205 R16 C 6J
- Spare Tire (Steel wheel) & Standard Tool set
- Spare wheel carrier Roll-up type
- Owner's manual